


集寒情潘云厦匜懒浚抹除危懒鳞 涌獭蕃橄禽倨瞬朋褂慈芎蕃橄 B 袪衰匜官朋褂




Effect observion of the compound polymyxin B ointment combined with compound ointment flumetasone in treatment of chronic eczema and contact dermatitis

FAN Si-ming HUANG Bin GU Jia-lei

The Clinic in Huanan Road,Center for Disease Control and Prevention of Meizhou City in Guangdong Province,Meizhou 514071,China

[Abstract] Objective To observe the clinical effect of compound polymyxin B ointment combined with compound ointment flumetasone in treatment of chronic eczema and contact dermatitis. **Methods** 256 patients with chronic eczema and contact dermatitis in our center from June 2012 to October 2014 were selected, they were randomly divided into the study group (128 cases) and the control group (128 cases). The control group was treated with simple compound flumetasone ointment treatment, the study group was treated with compound ointment flumetasone and compound polymyxin B ointment treatment. The itching degree and other clinical symptoms score before and after treatment, clinical effect of after 14 and 28 d treatment, recurrence rate in two groups were observed. **Results** After treatment, the clinical symptoms in two groups were improved, the scores in study group were significantly lower than that of control group. After 14 and 28 d treatment, the Total effective rate in study group were respectively 66.4%, 90.6%, which were higher than 39.8% and 74.3% of control group. After 28 d treatment, the recurrence rate in study group was lower than that of control group, the differences were statistically significant ($P < 0.05$). **Conclusion** Compound polymyxin B ointment combined with compound ointment flumetasone combination therapy can significantly improve the symptoms of patients with chronic eczema and contact dermatitis, it has high effective rate, and it is suitable for long-term clinical application.

[Key words] Chronic eczema; Contact dermatitis; Compound polymyxin B ointment; Compound ointment flumetasone



贈 128 呈
 贈
 贈 贈
 一 10%募 B姑
 贈 贈 呈 57 贈 71
 贈 32誅60 贈 斜38.9^6.8 贈 1~5 贈
 斜1.6^2.5 募 63 贈 65 贈 30誅66
 贈 斜37.8^7.2 贈 2~6 贈 斜2.1^2.8 呈
 姑 姑 贈
 斜P>0.05 贈 呈
 1.2
 斜 贈 梧
 HC20100009 贈 贈1 /d呈
 B 斜
 贈 梧H20061269 贈
 B
 1#1 贈 贈1 /d呈 1
 7d贈 2 呈
 1.3
 姑 姑
 4 [4]贈
 斜 姑 姑 姑 贈 姑
 姑 姑 4 0姑1姑2姑3 贈4
 呈
 [5]梧 [斜
 - / 2100%] 姑
 姑 姑 4 贈 均90%贈
 61%~89%贈
 21%~60%贈 咳20%姑

2015 10 22 28

B 赠 豆
姑 姑 赠
[12]豆 姑